

Contact details	refer to the name and address of the importer or authorized representative within the EEA				
Model identifier(s): EHG 2					
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat output/room temperature control (select one)	
Nominal heat output	P _{nom}	2.000	kW	single stage heat output and no room temperature control	No
Minimum heat output (indicative)	P _{min}	1.000	kW	two or more manual stages, no room temperature control	No
Maximum continuous heat output	P _{max,c}	2.000	kW	with mechanic thermostat room temperature control	Yes
Power consumption				with electronic room temperature control	No
In off mode	P _o	0.00	W	electronic room temperature control plus day timer	No
In standby mode	P _{sm}	0.00	W	electronic room temperature control plus week timer	No
In idle mode	P _{idle}	0.00	W	Other control options (multiple selections possible)	
In network standby	P _{nsm}	0.00	W	room temperature control, with presence detection	No
Standby mode with display information or status			No	room temperature control, with open window detection	No
Seasonal space heating energy efficiency in active mode	η _{S,on}	85.0	%	distance control option	No
				adaptive start control	No
				working time limitation	No
				black bulb sensor	No
				self-learning functionality	No
				control accuracy	No

Contact details	refer to the name and address of the importer or authorized representative within the EEA		
Model identifier(s): EHG 3			
Item	Symbol	Value	Unit
Heat output			Type of heat output/room temperature control (select one)
Nominal heat output	P _{nom}	3.000	kW
Minimum heat output (indicative)	P _{min}	2.000	kW
Maximum continuous heat output	P _{max,c}	3.000	kW
Power consumption			single stage heat output and no room temperature control
In off mode	P _o	0.00	W
In standby mode	P _{sm}	0.00	W
In idle mode	P _{idle}	0.00	W
In network standby	P _{nsm}	0.00	W
Standby mode with display information or status			with mechanic thermostat room temperature control
Seasonal space heating energy efficiency in active mode	η _{S,on}	85.0	%
			with electronic room temperature control
			electronic room temperature control plus day timer
			electronic room temperature control plus week timer
			Other control options (multiple selections possible)
			room temperature control, with presence detection
			room temperature control, with open window detection
			distance control option
			adaptive start control
			working time limitation
			black bulb sensor
			self-learning functionality
			control accuracy

Contact details	refer to the name and address of the importer or authorized representative within the EEA				
Model identifier(s): EHG 2 P					
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat output/room temperature control (select one)	
Nominal heat output	P _{nom}	2.000	kW	single stage heat output and no room temperature control	No
Minimum heat output (indicative)	P _{min}	1.000	kW	two or more manual stages, no room temperature control	No
Maximum continuous heat output	P _{max,c}	2.000	kW	with mechanic thermostat room temperature control	Yes
Power consumption				with electronic room temperature control	No
In off mode	P _o	0.00	W	electronic room temperature control plus day timer	No
In standby mode	P _{sm}	0.00	W	electronic room temperature control plus week timer	No
In idle mode	P _{idle}	0.00	W	Other control options (multiple selections possible)	
In network standby	P _{nsm}	0.00	W	room temperature control, with presence detection	No
Standby mode with display information or status			No	room temperature control, with open window detection	No
Seasonal space heating energy efficiency in active mode	η _{S,on}	85.0	%	distance control option	No
				adaptive start control	No
				working time limitation	No
				black bulb sensor	No
				self-learning functionality	No
				control accuracy	No

Contact details	refer to the name and address of the importer or authorized representative within the EEA				
Model identifier(s): EHG 3 P					
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat output/room temperature control (select one)	
Nominal heat output	P _{nom}	3.000	kW	single stage heat output and no room temperature control	No
Minimum heat output (indicative)	P _{min}	1.500	kW	two or more manual stages, no room temperature control	No
Maximum continuous heat output	P _{max,c}	3.000	kW	with mechanic thermostat room temperature control	Yes
Power consumption				with electronic room temperature control	No
In off mode	P _o	0.00	W	electronic room temperature control plus day timer	No
In standby mode	P _{sm}	0.00	W	electronic room temperature control plus week timer	No
In idle mode	P _{idle}	0.00	W	Other control options (multiple selections possible)	
In network standby	P _{nsm}	0.00	W	room temperature control, with presence detection	No
Standby mode with display information or status			No	room temperature control, with open window detection	No
Seasonal space heating energy efficiency in active mode	η _{S,on}	85.0	%	distance control option	No
				adaptive start control	No
				working time limitation	No
				black bulb sensor	No
				self-learning functionality	No
				control accuracy	No

Contact details	refer to the name and address of the importer or authorized representative within the EEA				
Model identifier(s): EHG 5 P					
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat output/room temperature control (select one)	
Nominal heat output	P _{nom}	5.000	kW	single stage heat output and no room temperature control	No
Minimum heat output (indicative)	P _{min}	3.300	kW	two or more manual stages, no room temperature control	No
Maximum continuous heat output	P _{max,c}	5.000	kW	with mechanic thermostat room temperature control	Yes
Power consumption				with electronic room temperature control	
In off mode	P _o	0.00	W	electronic room temperature control plus day timer	No
In standby mode	P _{sm}	0.00	W	electronic room temperature control plus week timer	No
In idle mode	P _{idle}	0.00	W	Other control options (multiple selections possible)	
In network standby	P _{nsm}	0.00	W	room temperature control, with presence detection	No
Standby mode with display information or status			No	room temperature control, with open window detection	No
Seasonal space heating energy efficiency in active mode	η _{S,on}	85.0	%	distance control option	No
				adaptive start control	No
				working time limitation	No
				black bulb sensor	No
				self-learning functionality	No
				control accuracy	No

Contact details	refer to the name and address of the importer or authorized representative within the EEA				
Model identifier(s): EHG 5					
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat output/room temperature control (select one)	
Nominal heat output	P _{nom}	5.000	kW	single stage heat output and no room temperature control	No
Minimum heat output (indicative)	P _{min}	2.500	kW	two or more manual stages, no room temperature control	No
Maximum continuous heat output	P _{max,c}	5.000	kW	with mechanic thermostat room temperature control	Yes
Power consumption				with electronic room temperature control	
In off mode	P _o	0.00	W	electronic room temperature control plus day timer	No
In standby mode	P _{sm}	0.00	W	electronic room temperature control plus week timer	No
In idle mode	P _{idle}	0.00	W	Other control options (multiple selections possible)	
In network standby	P _{nsm}	0.00	W	room temperature control, with presence detection	No
Standby mode with display information or status			No	room temperature control, with open window detection	No
Seasonal space heating energy efficiency in active mode	η _{S,on}	85.0	%	distance control option	No
				adaptive start control	No
				working time limitation	No
				black bulb sensor	No
				self-learning functionality	No
				control accuracy	No

Contact details	refer to the name and address of the importer or authorized representative within the EEA						
Model identifier(s): EHG 9							
Item	Symbol	Value	Unit	Item	Unit		
Heat output				Type of heat output/room temperature control (select one)			
Nominal heat output	P _{nom}	9.000	kW	single stage heat output and no room temperature control	No		
Minimum heat output (indicative)	P _{min}	4.500	kW	two or more manual stages, no room temperature control	No		
Maximum continuous heat output	P _{max,c}	9.000	kW	with mechanic thermostat room temperature control	Yes		
Power consumption				with electronic room temperature control	No		
In off mode	P _o	0.00	W	electronic room temperature control plus day timer	No		
In standby mode	P _{sm}	0.00	W	electronic room temperature control plus week timer	No		
In idle mode	P _{idle}	0.00	W	Other control options (multiple selections possible)			
In network standby	P _{nsm}	0.00	W	room temperature control, with presence detection	No		
Standby mode with display information or status			No	room temperature control, with open window detection	No		
Seasonal space heating energy efficiency in active mode	η _{S,on}	85.0	%	distance control option	No		
						adaptive start control	No
						working time limitation	No
						black bulb sensor	No
						self-learning functionality	No
				control accuracy	No		

Contact details	refer to the name and address of the importer or authorized representative within the EEA				
Model identifier(s): EHG 15					
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat output/room temperature control (select one)	
Nominal heat output	P _{nom}	15.000	kW	single stage heat output and no room temperature control	No
Minimum heat output (indicative)	P _{min}	5.000	kW	two or more manual stages, no room temperature control	No
Maximum continuous heat output	P _{max,c}	15.000	kW	with mechanic thermostat room temperature control	Yes
Power consumption				with electronic room temperature control	No
In off mode	P _o	0.00	W	electronic room temperature control plus day timer	No
In standby mode	P _{sm}	0.00	W	electronic room temperature control plus week timer	No
In idle mode	P _{idle}	0.00	W	Other control options (multiple selections possible)	
In network standby	P _{nsm}	0.00	W	room temperature control, with presence detection	No
Standby mode with display information or status			No	room temperature control, with open window detection	No
Seasonal space heating energy efficiency in active mode	η _{S,on}	85.0	%	distance control option	No
				adaptive start control	No
				working time limitation	No
				black bulb sensor	No
				self-learning functionality	No
				control accuracy	No